Product Specifications





7-16 DIN Female EZfit® for 7/8 in FXL-780, AVA5-50, and AVA5-50FX cable



General Specifications

Interface 7-16 DIN Female

 $\begin{array}{ll} \mbox{Body Style} & \mbox{Straight} \\ \mbox{Brand} & \mbox{EZfit} \mbox{\ensuremath{\mathbb{R}}} \end{array}$

Harmonized System (HS) Code 854420 (Coaxial cable and other coaxial electric conductors)

Mounting Angle Straight

Ordering Note CommScope® standard product (Global)

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 – 5000 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -116 dBm @ 1800 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 1415.00 V dc Test Voltage 4000 V


Outer Contact Resistance, maximum 1.50 mOhm Inner Contact Resistance, maximum 0.40 mOhm Insulation Resistance, minimum 5000 MOhm Peak Power, maximum 40.00 kW Insertion Loss, typical 0.05 dB

Product Specifications



78EZDF

Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Clamp
Inner Contact Attachment Method Captivated
Outer Contact Plating Trimetal
Inner Contact Plating Silver
Attachment Durability 25 cycles
Interface Durability 50 cycles

Interface Durability Method IEC 61169-4:9.5

Connector Retention Tensile Force 1334 N | 300 lbf

Connector Retention Torque 8.13 N-m | 72.00 in lb

Insertion Force 200.17 N | 45.00 lbf

Insertion Force Method IEC 61169-1:15.2.4

Pressurizable No

Dimensions

Nominal Size 7/8 in

 Diameter
 37.10 mm | 1.46 in

 Length
 47.90 mm | 1.89 in

 Weight
 136.60 g | 0.30 lb

Environmental Specifications

Operating Temperature $-40 \, ^{\circ}\text{C}$ to $+85 \, ^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \, ^{\circ}\text{F}$)

Storage Temperature $-55 \, ^{\circ}\text{C}$ to $+85 \, ^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \, ^{\circ}\text{F}$)

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Product Specifications



78EZDF

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66
Moisture Resistance Test Method IEC 60529, IP68
Mechanical Shock Test Method IEC 60068-2-27
Vibration Test Method IEC 60068-2-6

Corrosion Test Method IEC 60068-2-11, Test Condition Ka

Standard Conditions

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)	
50-1000 MHz	1.02	40.00	
1000-1900 MHz	1.03	38.00	
1900-2200 MHz	1.04	34.00	
2200-2700 MHz	1.06	31.00	
2700-3600 MHz	1.07	30.00	
3600-5000 MHz	1.09	27.00	

Regulatory Compliance/Certifications

Agency

RoHS 2011/65/EU China RoHS SJ/T 11364-2006

ISO 9001:2008

Classification

Compliant by Exemption

Above Maximum Concentration Value (MCV)

Designed, manufactured and/or distributed under this quality management system





* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05v freq (GHz) (not applicable for elliptical waveguide)