


GALVANISED NUTS & WASHERS AT TOP AND BOTTOM OF OPEN CHANNEL TO LOCATE AND LEVEL.

M12 SPUN GALVANISED STUDDING.

CABLE TRAY & FIXINGS BY OTHERS.

BASE.


6.0mm ISOLATION PAD SUPPLIED.



ROOF-PRO RECOMMEND THAT ALLOWING FOR ROOF GRADIENT, ALL SERVICES ARE SUPPORTED AT MAXIMUM FRAME HEIGHT, AS SHOWN ABOVE.

FOR GROUP LAYOUT SEE DWG. 010/01B.

FOR ISOMETRIC DETAIL SEE DWG. 010/01C.



ROOF-PRO LTD

P.O.Box 505, Kempston
Bedford MK42 7LQ, England.

Tel: +44 (0)1234 843 790
Fax: +44 (0)1234 856 259
Email: cad@roof-pro.co.uk
Website: www.roof-pro.co.uk



PRODUCT:

ROOF-PRO SYSTEMS
TAB-C

MATERIAL/FINISH:

STEEL-GALVANISED

SCALE: 1:5

DRAWN BY: ADM

DATE: 01/11/10

CHECKED BY: ADM

DATE: 01/11/10

ISSUE STATUS:

7

DRAWING No:

010/01A

© COPYRIGHT 2010

FIRST ANGLE PROJECTION — DO NOT SCALE — IF IN DOUBT ASK — ALL MEASUREMENTS IN MM